



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## Certificate of Accreditation

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:*

***Kaycha Holdings LLC DBA EVIO Labs***  
***4131 SW 47<sup>th</sup> Avenue, Suite 1408, Davie, FL 33314***

*(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:*

**ISO/IEC 17025:2005**

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated January 2009):

***Chemical, Biological, and Microbiological Testing***  
*(As detailed in the supplement)*

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen  
 President/Operations Manager

Perry Johnson Laboratory  
 Accreditation, Inc. (PJLA)  
 755 W. Big Beaver, Suite 1325  
 Troy, Michigan 48084

*Initial Accreditation Date:*

January 25, 2018

*Issue Date:*

January 25, 2018

*Expiration Date:*

May 31, 2020

*Accreditation No.:*

97164

*Certificate No.:*

L18-47

*The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: [www.pjilabs.com](http://www.pjilabs.com)*



# Certificate of Accreditation: Supplement

## Kaycha Holdings LLC DBA EVIO Labs

4131 SW 47<sup>th</sup> Avenue, Suite 1408, Davie, FL 33314

Contact Name: James Horvath Phone: 786-838-3088

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical <sup>F</sup>	Cannabis Plant Marijuana Infused Products Cannabis Extracts	Terpene Analysis: (-)-alpha-Bisabolol alpha- Terpinene beta-Myrcene alpha-Humulene Camphene gamma-Terpinene Nerolidol p-Isopropyltoluene (p-cymene) delta-3-Carene Terpinolene Ocimene (-)-Isopulegol beta-Caryophyllene (-)-Caryophyllene oxide alpha-Pinene d-Limonene Geraniol 1,8-Cineole (Eucalyptol) (-)-beta-Pinene Linalool (-)-Guaiol	EVIO SOP SOP.T.40.090 GC-MS	D.L. = 25 mg/kg
		Cannabinoids: CBDV CBDA CBGA CBG CBD THCV CBN Total THC -THC -THCa CBC	EVIO SOP SOP.T.40.020 (HPLC)	0.1 %
		Heavy Metals Screening: Cadmium Lead Arsenic Mercury	EVIO SOP SOP.T.40.050 ICP-MS	Edible Cd- D.L. = 0.5 ppm Pb- D.L. = 0.5 ppm As- D.L. = 1.5 ppm Hg- D.L. = 3 ppm  Inhaled Goods: Cd- D.L. = 0.2 ppm Pb- D.L. = 0.5 ppm As- D.L. = 0.2 ppm Hg- D.L. = 0.1 ppm



# Certificate of Accreditation: Supplement

## Kaycha Holdings LLC DBA EVIO Labs

4131 SW 47<sup>th</sup> Avenue, Suite 1408, Davie, FL 33314

Contact Name: James Horvath Phone: 786-838-3088

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical <sup>F</sup>	Cannabis Plant Marijuana Infused Products Cannabis Extracts	Heavy Metals Screening: Cadmium Lead Arsenic Mercury	EVIO SOP SOP.T.40.050 ICP-MS	Topical & Transdermal:  Cd- D.L. = 5 ppm Pb- D.L. = 10 ppm As- D.L. = 3 ppm Hg- D.L. = 1 ppm
		Residual Solvents: 1,2-Dichloroethane 1,1-Dichloroethene 1,1,1-Trichloroethane Acetone Acetonitrile Benzene Butane Carbon Tetrachloride Chlorobenzene Chloroform Cyclohexane Ethanol Ethyl acetate Ethyl ether Ethylene glycol Ethylene oxide Formamide Heptane Hexane Isopropyl alcohol Methanol Methylene chloride Naphtha Pentane Petroleum ether	EVIOSOP SOP.T.40.032 GC-MS	D.L. = 500 mg/kg
		Mycotoxins Aflatoxins Bi, B2, G1, G2	EVIO SOP SOP.T.30.073 VICAM	Aflatoxins Bi, B2, G1, G2: D.L. = <20 ppb Ochratoxin A: D.L. = <20 ppb  2 ppb for Aflatoxins 3 ppb for Ochratoxin



# Certificate of Accreditation: Supplement

## Kaycha Holdings LLC DBA EVIO Labs

4131 SW 47<sup>th</sup> Avenue, Suite 1408, Davie, FL 33314

Contact Name: James Horvath Phone: 786-838-3088

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical <sup>F</sup>	Cannabis Plant Marijuana Infused Products Cannabis Extracts	Pesticides	EVIO SOP SOP.T.30.060 LCMS (Pesticides) GCMS (Volatile pesticides)	See Below <sup>2</sup>
	Food, Plants, Plant Extracts	Water Testing Water Activity Content of Moisture	EVIO SOP SOP.T.40.010 (Moisture Meter)	DL = 0.85 Aw
Microbiological <sup>F</sup>	Cannabis Plant Marijuana Infused Products Cannabis Extracts	Escherichia Coli Salmonella Aspergillus fumigatus A. flavus, A. niger, A. terreus	EVIO SOP SOP.T.40.043 PCR	Presence/Absence
Non-Destructive <sup>F</sup>	Food, Plants, Plant Extracts	Filth and Foreign Material	EVIO SOP SOP.T.40.013 Stereo Microscope	Presence/Absence

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer <sup>F</sup> would mean that the laboratory performs this testing at its fixed location.
2. Pesticides to include screening for: Acephate, Acequinocyl, Acetamiprid, Aldicarb, Azoxystrobin, Bifenazate, Bifenthrin, Boscalid, Carbaryl, Carbofuran, Chlorantraniliprole, Chlorfenapyr, Chlorpyrifos, Clofentezine, Cyfluthrin, Cypermethrin, Daminozide, Dichlorvos, Diazinon, Dimethoate, Ethoprop(hos), Etofenprox, Etoxazole, Fenoxycarb, Fenpyroximate, Fipronil, Flonicamid, Fludioxonil, Hexythiazox, Imazalil, Kresoxim-methyl, Malathion, Metalaxyl, Methiocarb, Methomyl, Methyl parathion, Myclobutanil, Naled, Oxamyl, Paclobutrazol, MGK-264, Permethrin, Phosmet, Piperonyl butoxide, Prallethrin, Propiconazole, Propoxur, Pyrethrins, Pyridaben, Spinosad, Spiromesifen, Spirotetramat, Spiroxamine, Tebuconazole, Thiacloprid, Thiamethoxam, and Trifloxystrobin. Individual detection limits available upon request.